

rotronic

Datenblatt - Fiche technique - Data sheet

11.04.5602



ROLINE DisplayPort Kabel, DP ST – ST, 2,0m

ROLINE Câble DisplayPort DP M – DP M, 2,0m


ROLINE DisplayPort Cable, DP M – DP M, 2 m

ROHS-COMPLIANT

LTR	REV.	DESCRIPTION	DATE

DISPLAYPORT MALE
INS:BLACK

DISPLAYPORT MALE
INS:BLACK



NOTE:

- 1.CABLE: UL-20276 [#30(7/0.1 T.C)×1P INS:FOAM-PE+D.W(7/0.1 T.C)+AL/MY +Hot-melt Mylar]×5C + #30(7/0.1 T.C)×4C INS:Polyethylene+AL/MY + B.D(85%) PVC JACKET, OD:6.5±0.2mm COLOR:MAT BLACK(NK-K01) .
- 2.CONNECTOR:
P1 & P2: DISPLAYPORT 20P MALE W/PCB & LATCH CONTACT:15u"


SHELL:NI-PLATED .

- 3.SHIELD:INNER MOLD MUST BE WRAPPED COPPER TO CONNECTOR SHELL & CABLE BRAID
- 4.HOOD:ASS'Y TYPE, PLASTIC HOOD COLOR:BLACK(NK-K01)
- 5.ELECTRICAL TEST:
(1)100% OPEN SHORT & MIS WIRE TEST.
(2)CONTACT RESISTANCE 3 ohm Max .
(3)INSULATION RESISTANCE 10M ohm Min .
(4)HI-POT DC300V
- 6.PACKING:EACH PC / POLY BAG + HEADER CARD + BAR CODE LABEL.

200-1161-3	11.04.5605	5000	50	10	7611990186280
200-1161-2	11.04.5603	3000	30	20	7611990186273
200-1161-1	11.04.5602	2000	30	20	7611990186266
DWG	P/N	L(mm)	T(mm)	PCS/CTN	BAR CODE NO.

Tolerance Inch M/M		Rotronic co., LTD.	
X	.015 .30		
XX	.010 .10		
XXX	.005 .05		
Draw		Title	
FANNIE 01/14/09'		DISPLAYPORT ASS'Y CABLE	
Check		Customer P/N	
		App'd	Customer: T-RAG
Engr		Scale	Units
		NONE	M/M
Dwg No. 200-1161		REV:A	Third Angle Projection
		Sheet:1/2	

LTR	REV.	DESCRIPTION	DATE



Tolerance Inch M/M			
.X	.015	.30	
.XX	.010	.10	
.XXX	.005	.05	
Draw			
FANNIE 01/14/09'			
Customer P/N			
Title			
DISPLA YPORT ASS'Y CABLE			
App'd			
Customer: T-RAG			
Scale NONE Units M/M Third Angle Projection			
Dwg No. 200-1161			
REV: A			
Sheet: 2/2			